

## A bibliography of the African tree *Maesopsis eminii*

Pierre Binggeli

- Abbiw, D. (1990) Useful plants of Ghana: West African uses of wild and cultivated plants. Intermediate Technology / Royal Botanic Gardens, Kew.
- Adewunmi, C.O. & Sofowora, E.A. (1980) Preliminary screening of some plant extracts for molluscicidal activity. *Pl. Med.* 39, 57-65.
- Agus, F. (2001) Selection of soil conservation measures in the Indonesian greening program. In Stoot, D.E., Mohtar, R.H. & Steinhardt, G.C. (Eds) *Sustaining the global farm*, pp. 198-202.
- Ainslie, J.R. (1937) A list of plants used in native medicine in Nigeria. *Imp. For. Inst. Paper 7* (mimeo). University of Oxford, Oxford.
- Ake Assi, L. (2002) Flore de la Cote d'Ivoire. Catalogue systematique, biogeographie et ecologie. II. *Boissiera* 58, 1-401.
- Albrecht, J. (Ed.) (1993) Tree seed handbook of Kenya. GTZ forestry Seed Centre Muguga, Nairobi.
- Althof, A. & Fischer, E. (2003) The vegetation of Kakamega Forest - a result of human impact? In 16. *Jahrestagung der Gesellschaft für Tropenökologie*, p. 87.
- Ananthanarayana, A.K. & Jain, J.C. (1982) A note on the physical and mechanical properties of *Maesopsis eminii* Engl. (Musizi). *Ind. Forester* 108, 741-746.
- Ananthanarayana, A.K., Kumar, P. & Sharma, S.N. (1986) Possibilities of utilization of some exotic species from plantations for timber products. *Van vigyan = Journal of the Society of Indian Foresters* 24(1/2), 21-24.
- Anon. (1930) Plant and seed list. East African Agricultural Research Station, Amani Tanganyika Territory.
- Anon. (1946) Department of Agriculture; annual report for the year 1945. Government Printer, Lusaka.
- Anon. (1949) The second annual report of the Research Department, 1948-49. pp. 45-46. Indian Coffee Board, Balehonnur.
- Anon. (1951) The fourth annual report of the Research Department, 1950-51. p. 43. Indian Coffee Board, Balehonnur.
- Anon. (1952) The fifth annual report of the Research Department, 1951-52. p. 73. Indian Coffee Board, Balehonnur.
- Anon. (1954) Timber leaflet No. 11. Uganda Forest Department, Kampala.
- Anon. (1956) A handbook of hardwoods. HMSO, London.
- Anon. (1956) Tree planting practices in tropical Africa. FAO Forestry Development Paper No. 8, Rome.
- Anon. (1961) Drei ostafrikanische Holzer. *Holz-Zbl* 87(107), 1618.
- Anon. (1961) The movement of timber. *Tang. Tech. Note* 29, 1-4.
- Anon. (1962) Annual report of the forest division for the year ended 31st December, 1961. Government Printer, Dar Es Salaam.
- Anon. (1963) Timbers of Tanganyika: *Maesopsis eminii*; Musizi. Utilization Section, Forest Division, Moshi.
- Anon. (1963) Local seed collection. *Tech. Note (Silv.) No.* 29.
- Anon. (1963) Arboreta: East Usambaras. *Tanz. Silv. Tech. Note* 58.
- Anon. (1963) Trial plots - Lake Victoria. *Tech. Note (Silv.) No.* 69.
- Anon. (1964) Trial plots, Bukoba and Minziro areas. *Tech. Note (Silv.) No.* 68.
- Anon. (1964) Seed weights and germination (2) Minor species. *Tanz. Silv. Tech. Note No.* 75.
- Anon. (1964) Growth rates of *Cephalosphaera usambarensis* and *Maesopsis eminii*. *Tanz. Silv. Tech. Note* 71.
- Anon. (1965) Growth rates of *Cephalosphaera usambarensis* and *Maesopsis eminii*. *Tanz. Silv. Tech. Note No.* 71A.
- Anon. (1966) Planting register. Kwamkoro Forest Office.
- Anon. (1966) Kylvn drying schedules for Tanzania timbers. *Tanz. Tech. Note* 38, 1-12.
- Anon. (1983) Firewood crops; shrub and tree species for energy production. Vol. 2. National Academy of Science, Washington.

- Anon. (1984) Trees for village forestry. Forest Division, Dar Es Salaam.
- Anon. (1989) Management of tropical moist forests in Africa. FAO, Rome.
- Anon. (1992) Fiches de projet de recherche. Centre National de Recherche Forestiere CNRF-ISAR, Butare.
- Anon. (1993) Forest inventory report of the proposed Mabeta-Moliwe Forest Reserve, South West Province, Cameroon. Limbe Botanic Garden, Limbe.
- Anon. (1994) Conservation and management of closed forest: a manual of field techniques for students and trainees. East African forest field workshop, Uganda, April - May 1994. UNO/RAF/006/GEF.
- Anon. (1999) Mukono District environment profile, 1998. National Environment Management Authority, Kampala.
- Anwar, C., Baheramsyah, K. & Hamzah, Z. (1989) [Effectiveness of shrubs and agroforestry in reducing runoff and erosion in Kadipaten village (upper Citanduy sub-watershed).] Efektivitas semak dan agroforestry di desa Kadipaten (Sub DAS Citanduy Hulu) dalam memperkecil aliran permukaan dan erosi. Buletin Penelitian Hutan 511, 1-8.
- Aubréville, A. (1937) Les forets du Dahomey et du Togo. Bull. Commit, Etudes Hist. Sci. Afrique Occidentale Franc. 20, 1-112.
- Aubréville, A. (1959) La flore forestière de la Cote d'Ivoire, 2nd edn. 3 vols. Centre Technique Forestier Tropical, Nogent-sur-Marne.
- Backéus, I. (1982) Report on a study tour of the indigenous forests of the West Usambara Mountains, Tanzania with special reference to regeneration. Meddelanden, Vaxtbiologiska Institutionen, Uppsala No. 1982, 1. 52pp.
- Bahati, J.B. (1995) Impact of logging and arboricidal treatments on the natural regeneration and species composition in Budongo Forest, Uganda. M.Sc. Thesis, UCNW, Bangor.
- Bahrii, O.K. & Kurmaz, B.V. (1966) [Natural hydroxynaphthalenes.] Prirodni oksynaftalyny. Farm. Zh. 20, 6-9.
- Baker, N.E. & Baker, L.M. (2001) Tanzania. In Fishpool, L.D.C. & Evans, M.I. (Eds) Important bird areas in Africa and associated islands, pp. 897-945. Pisces Publications, Newbury & BirdLife International, Cambridge.
- Bakuneeta, C., Johnson, K., Plumptre, A.J. & Reynolds, V. (1995) Human uses of tree species whose seeds are dispersed by chimpanzees in the Budongo Forest, Uganda. Afr. J. Ecol. 33, 276-278.
- Balasubramanian, V. & Egli, A. (1986) The role of agroforestry in the farming systems in Rwanda with special reference to the Bugesera-Gisaka-Migongo (BGM) region. Agrofor. Syst. 4, 271-289.
- Balmforth, E.G. (1969) Enrichment planting in Tanzania. FAO committee on forest development in the tropics. Forest Division, D
- Barker, C.A. & Bakhuizen van den Brink (1965) Flora of Java, Vol. 2. Noordhoff, Groningen.
- Barnard, R.C. & Beveridge, A.E. (1957) Exotic trees in the Federation of Malaya. In 7th British Commonwealth Forestry Conference.
- Basabose, A.K. (2002) Diet composition of chimpanzees inhabiting the montane forest of Kahuzi, Democratic Republic of Congo. Am. J. Primatol. 58, 1-21.
- Beaton, A. (1960) Calculation of increment and stand prediction in tropical high forest, Uganda. Uganda For. Dept Tech. Note 82/60.
- Beentje, H.J. (1990) Botanical assessment of Ngezi Forest, Pemba Island, Zanzibar. Zanzibar Forestry Devl. Plan, Finnida, Zanzibar.
- Beentje, H.J. (1994) Kenya trees, shrubs and lianas. National Museums of Kenya, Nairobi.
- Beentje, H.J. (Ed.) (1988) An ecological and floristic study of the forests of the Taita Hills, Kenya. Utafiti 1, 23-66.
- Bégué, L. (1958) Les forêts de la République du Soudan. Bois Forests Trop. 62, 3-19.
- Bell, A.D. (1991) Plant form. Oxford University Press, Oxford.
- Binggeli, P. (1989) The ecology of *Maesopsis* invasion and dynamics of the evergreen forest of the East Usambaras, and their implications for forest conservation and forestry practices. In Hamilton, A.C. & Bensted-Smith, R. (Eds) Forest conservation in the East Usambara Mountains, Tanzania, pp. 269-300. IUCN, Gland.
- Binggeli, P. (1989) Report on a visit to Tanzania - 11th March - 8th April 1989. Unpublished Manuscript. 4 pp.
- Binggeli, P. (1990) *Maesopsis eminii* invasion of the evergreen rain forest in the East Usambaras (Tanzania). In The biology and control of invasive plants, pp. 1-7. British Ecological Society, Cardiff.
- Binggeli, P. (2000) The East Usambaras (Tanzania) - The pearl of Africa. Aliens 10, 14-15.
- Binggeli, P. & Hamilton, A.C. (1990) Tree species invasions and sustainable forestry in the East Usambaras. In Hedberg, I. & Persson, E. (Eds) Research for conservation of Tanzanian catchment forests, pp. 39-47. Uppsala Universitet Reprocentralen HSC, Uppsala.
- Binggeli, P. & Hamilton, A.C. (1993) Biological invasion by *Maesopsis eminii* in the East Usambara forests, Tanzania. Opera Bot. 121, 229-235.
- Binggeli, P., Ruffo, C.K., Taylor, D. & Hamilton, A.C. (1989) Seed banks in the forest soils. In Hamilton, A.C. & Bensted-Smith, R. (Eds) Forest conservation in the East Usambara Mountains, Tanzania, pp. 307-311. IUCN, Gland.
- Bjorndalen, J.E. (1992) Tanzanias vanishing rain forests

- assessment of nature conservation values, biodiversity and importance for water catchment. *Agric. Ecosyst. Environ.* 40, 313-334.
- Blaser, J., Rajoelison, G., Tsiza, G., Rajemison, M., Rabevohitra, R., Randrianjafy, H., Razafindrianilana, N., Rakotovo, G. and Comtet, S. 1993. Choix des essences pour la sylviculture à Madagascar. Akon'ny Ala Numbers 12 & 13.
- Bødker, R., Kisinza, W., Malima, R., Msangeni, H. & Lindsay, S. (2000) Resurgence of malaria in the Usambara Mountains, Tanzania, an epidemic of drug-resistant parasites. *Global Change and Human Health* 1, 134-153.
- Borota, J. (1969) The result of gap planting in natural forests. *Tanz. Silv. Res. Note* 13, 1-4.
- Borota, J. (1971) The growth of the tree species at Rondo Arboretum. *Tanz. Silv. Res. Note* No. 19.
- Borota, J. (1975) Provenance studies of the major and economically important species in Tanzania. *Zbornik Vedeckych Prac* 17, 99-118.
- Bouquet, A. (1969) Féticheurs et médecines traditionnelles du Congo (Brazzaville). *Mem. ORSTOM* 36.
- Bouquet, A. (1972) Plantes médicinales du Congo-Brazzaville. *Uvariopsis, Pauridiantha, Diospyros. Trav. Doc. ORSTOM* 13.
- Bouquet, A. & Debray, M. (1974) Plantes médicinales de la Côte d'Ivoire. *Trav. Doc. ORSTOM* 32, 1-232.
- Bouquet, A. & Jacquot, A. (1967) Essai de géographie linguistique sur quelques plantes médicinales du Congo-Brazzaville. *Cah. ORSTOM, sér. Sci. hum. IV(3-4)*, 1-32.
- Brasnett, N.V. (1940) Stump planting. *E. Afr. agric. J.* 5, 387-388.
- Bredo, H.-J. (1933) Note sur un insecte destructeur des *Maesopsis eminii* Engl. *Bull. agric. Congo belge* 24, 156-161.
- Brown, D.C. (1991) An assessment of the invasion of *Maesopsis eminii* into the natural forests of the East Usambara Mountains, Tanzania. Project, College of African Wildlife Management, Mweka.
- Brown, K.W. (1964) Observations on a stem canker of Musizi (*Maesopsis eminii*). *E. Afr. agric. For. J.* 30, 54-58.
- Brown, W.H. (1978) *Timbers of the world... 1. Africa*. Timber Research and Development Association, High Wycombe.
- Browne, F.G. (1968) *Pest and diseases of forest plantations*. Clarendon Press, Oxford.
- Brownlow, A.R., Plumptre, A.J., Reynolds, V. & Ward, R. (2001) Sources of variation in the nesting behavior of chimpanzees (*Pan troglodytes schweinfurthii*) in the Budongo Forest, Uganda. *Am. J. Primatol.* 55, 49-55.
- Brunel, J.F., Hiepko, P. & Scholz, H. (1984) Flore analytique du Togo. *Englera* 4, 1-751.
- Bryce, J.M. (1966) The strength properties of Tanzania timbers. *Tanz. Tech. Note* 35, 1-17.
- Bryce, J.M. & Norcross, H. (1961) The resistance of Tanganyika timber to impregnation. *Tang. Tech. Note* 28, 1-20.
- Buchholz, T. (2003) Silvicultural potential of *Maesopsis eminii* in Uganda. I-TOO Working Paper No. 12. [www.waldbau.uni-freiburg.de/ITOO/I-TOO-files/WP/I-TOO%20WP%2012](http://www.waldbau.uni-freiburg.de/ITOO/I-TOO-files/WP/I-TOO%20WP%2012)
- Buchholz, T., Weinreich, A. & Tennigkeit, T. (2005) Silvicultural management of *Maesopsis eminii*. I-TOO Working Paper No. 27.
- Buechner, H.K. & Dawkins, H.C. (1961) Vegetation changes induced by elephants and fire in Murchinson Falls National Park, Uganda. *Ecology* 42, 752-766.
- Burt Davy, J. & Hoyle, A.C. (Eds) (1937) Check-lists of the forest trees and shrubs of the British Empire, no. 3. Draft of first descriptive check-list of the Gold Coast. Imperial Forestry Institute, Oxford.
- Buruga, J.H. & Olembo, R.J. (1971) Plant food preferences of some sympatric drosophilids of tropical Africa. *Biotropica* 3, 151-158.
- Buss, I.O. (1961) Some observations on food habits and behavior of the African Elephant. *J. Wildl. Mgmt* 25, 131-148.
- Busson, F. (1965) *Plantes alimentaire de l'Ouest Africain*. Leconte, Marseilles.
- Butt, R.A. (1962) Trials of species for timber planting in the savanna woodland zone of north Uganda. In 8th British Commonwealth Forestry Conference. Government Printer, Entebbe.
- Büttner, S. (2004) Seed source, seed size and seed sowing technique of *Maesopsis eminii* in Uganda - A study on improved nursery management. I-TOO Working Paper No. 16.
- Buxton, A.P. (1952) Observations of the diurnal behaviour of the redtail monkey (*Cercopithecus ascanius schmidti* Matschie) in a small forest in Uganda. *J. Anim. Ecol.* 21, 25-58.
- Byabashaija, D.M., Kahembwe, F. & Ndemere, P. (2001) Management of natural forests. In Mukiibi, J.K. (Ed.) *Agriculture in Uganda, Volume III: Forestry*, pp. 48-58. Fountain Publishers, Kampala.
- Cable, S. & Cheek, M. (1998) *The plants of Mount Cameroon - A conservation checklist*. Royal Botanic Gardens, Kew.
- Campbell, P.A. (1974) A note on the occurrence of *Cryptotermes* spp. in the Lake Victoria area. *E. Afr. agric. For. J.* 39, 433.
- Castro e Santos, A. de (1980) Essai de classification des arbres tropicaux selon leur capacité de réitération. *Biotropica* 12, 187-194.
- Chance, M.R.A. (1967) Attention structure as the basis of

- primate rank orders. *Man NS* 2, 503-518.
- Chapman, J.D. & Chapman, H.M. (Eds) (2001) The forest flora of Taraba and Adamawa States, Nigeria: an ecological account and plant species checklist. University of Canterbury, Christchurch.
- Chauvet, B. (1968) Inventaire des espèces forestières introduites à Madagascar. Ecole Nationale Supérieur Agronomique et Université de Tananarive, Tananarive.
- Cheek, M. (1992) Botanical survey of the proposed Mabeta-Moliwe Forest Reserve in S.W. Cameroon. Report to the ODA, London.
- Chuan, T.T. & Tangau, W.M. (1991) Cultivated and potential forest plantation tree species. Institute for Development Studies, Sabah.
- Chudnoff, M. (1979) Tropical timbers of the world. US Forest Products Laboratory, Madison.
- Chung, L.Y., Goh, S.H. & Imiyabir, Z. (2005) Central nervous system receptor activities of some Malaysian plant species. *Pharmaceutical Biology* 43, 280-288.
- Chung, L.Y., Yap, K.F., Mustafa, M.R., Goh, S.H. & Imiyabir, Z. (2005) Muscarinic receptor activity of some Malaysian plant species. *Pharmaceutical Biology* 43, 672-682.
- Clark, C.J. (2001) Frugivore influence on patterns of seed rain, seed shadows and forest structure. Thesis, San Francisco State University.
- Clark, C.J., Poulsen, J.R. & Parker, V.T. (2001) The role of arboreal seed dispersal groups on the seed rain of a lowland tropical forest. *Biotropica* 33, 606-620.
- Clark, C.J., Poulsen, J.R., Bolker, B.M., Connor, E.F. & Parker, V.T. (2005) Comparative seed shadows of bird-, monkey-, and wind-dispersed trees. *Ecology* 86, 2684-2694.
- Clark, C.J., Poulsen, J.R., Connor, E.F. & Parker, V.T. (2004) Fruiting trees as dispersal foci in a semi-deciduous tropical forest. *Oecologia* 139, 66-75.
- Collenette, C.L. & Hale Carpenter, G.D. (1933) New species, and description of larvae, of Lymantriidae from Uganda. *Entomologist's Monthly Magazine* 69, 258-264; 265-270.
- Cooper, G.P. & Record, S.J. (1931) The evergreen forests of Liberia. *Yale Univ. Sch. For. Bull.* 31.
- Cordeiro, N.J. (2005) Fragmentation impacts on vertebrates and disperser-plant mutualisms in an East African forest. Ph.D. Thesis, University of Illinois at Chicago.
- Cordeiro, N.J. & Patrick, D.A.G. (2003) Seed dispersal and invasion of an exotic tree in an African forest rich in endemic biota. 17th Annual Meeting of the Society for Conservation Biology - Book of Abstracts, p. 32.
- Cordeiro, N.J., Patrick, D.A.G., Munisi, B. & Gupta, V. (2004) Role of dispersal in the invasion of an exotic tree in an East African submontane forest. *J. trop. Ecol.* 20, 449-457.
- Coster, C. & Blink, G.C. van den (1939) Reiserapport no. 1. January 1939. pp 19. Unpublished report. (Forestry Abstracts No. 762)
- Cronk, Q.C.B. & Fuller, J.L. (1995) Plant invaders. Chapman & Hall, London.
- Cumming, A.H. & Thomson, R.M. (1970) Anthraquinones in *Maesopsis eminii* (heartwood). *Phytochemistry* 9, 2399-2400.
- Dale, I.R. & Greenway, P.J. (1961) Kenya trees and shrubs. Buchanan's Kenya Estates Ltd & Hatchards, London.
- Dalziel, J.M. (1937) The useful plants of West tropical Africa. Crown Agents for the Colonies, London.
- Dawe, M.T. (1906) Botanical mission through the forest district of Buddu and the western and Nile Provinces of the Uganda Protectorate. HMSO, London.
- Dawe, M.T. (1910) The forests of Uganda. *J. R. Afr. Soc.* 9(34), 120-128.
- Dawkins, H.C. (1947) Timber planting in the *Terminalia* woodland of northern Uganda. *Emp. For. Rev.* 28, 226-247.
- Dawkins, H.C. (1956) Rapid detection of aberrant girth increment of rain-forest trees. *Emp. For. Rev.* 35, 449-454.
- Dawkins, H.C. (1956) Conclusion of Bunyoro RP33 and 37. Direct sowing of *Maesopsis* (as a nurse for *Chlorophora*). Uganda For. Dept Tech. Note 11/56.
- Dawkins, H.C. (1956) Interim results of research plots Bunyoro RP 32, 41. Conclusion of research plots Bunyoro RP 33, 35-7, 42-3. Uganda For. Dept Tech. Note 10/56-15/56.
- Dawkins, H.C. (1963) Observations on crown-diameter, stocking, silvicultural requirements and possible yield of *Maesopsis*. Uganda For. Dept Tech. Note 114/63, 1-2.
- Dawkins, H.C. (1965) The time dimension of tropical forest trees. *J. appl. Ecol.* 2, 449-450.
- Dawkins, H.C. (1966) The time dimension of tropical forest trees. *J. Ecol.* 53, 837-838.
- Debray, M., Jacquemin, H. & Razafindrambao, R. (1971) Contribution à l'inventaire des plantes médicinales de Madagascar. *Trav. Doc. ORSTOM* 8.
- Delevoy, G. (1928) La question forestière au Katanga. Tome 1. Notes sur la végétation forestière du Katanga. Office de Publicité, Bruxelles.
- Dubois, J., Hallewas, P.H. & Knowles, O.H. (1966) The role of the lower Brazilian Amazon as a source of wood products. In Proceedings of the sixth world forestry congress, Vol. 3, 3213-3223. Madrid.

- Duncan, R.S. & Chapman, C.A. (2002) Limitations of animal seed dispersal for enhancing forest succession on degraded lands. In Levey, D.J., Silva, W.R. & Galetti, M. (Eds) Seed dispersal and frugivory: ecology, evolution and conservation, pp. 437-450. CABI Publishing, Wallingford.
- Duncan, R.S. & Chapman, C.A. (2003) Consequences of plantation harvest during tropical forest restoration in Uganda. *Forest Ecol. Mgmt* 173, 235-250.
- Earl, D.E. (19) Wise management of natural tropical forest for timber production, tourism and wildlife. pp. 211-219.
- Earl, D.E. (1968) Latest techniques in the treatment of natural high forest in the south Mengo district. Entebbe, Uganda Forest Department.
- Eggeling, W.J. (1940) Budongo - an East African mahogany forest. *Emp. For. J.* 19, 179-196.
- Eggeling, W.J. (1940) The indigenous trees of the Uganda Protectorate. Government Printer, Entebbe.
- Eggeling, W.J. (1947) Observations on the ecology of the Budongo rain forest, Uganda. *J. Ecol.* 34, 20-87.
- Eggeling, W.J. & Dale, I.R. (1952) The indigenous trees of Uganda, 2nd edn. Government Printer, Entebbe.
- Eggeling, W.J. & Harris, C.M. (1939) Fifteen Uganda timbers. Forest trees and timbers of the British Empire, Vol. 4. Clarendon Press, Oxford.
- Egli, A. & Kalinganire, A. (1988) Les arbres et arbustes agroforestiers au Rwanda. Institut des Sciences Agronomiques du Rwanda, Butare.
- Egli, A. & Pietrowicz, P. (1990) L'associations des arbres et des cultures vivrières à l'Arboretum de Ruhande, Butare/Rwanda. Institut des Sciences Agronomiques du Rwanda, Butare.
- Egli, A.E. (1994) Einfluss ausgewählter Standortsfaktoren in Abhängigkeit von zehn nicht Stickstoff fixierenden Baumarten auf die Ertragsbildung wichtiger Feldfrüchte unter agroforstlichen Anbaubedingungen. Ein Beispiel aus Butare/Rwanda (Ost-/Zentralafrika). *Forstwiss. Beitr. - ETH Zürich* 13, 1-206.
- Eilu, G., Hafashimana, D.L.N. & Kasenene, J.M. (2004) Density and species diversity of trees in four tropical forests of the Albertine rift, western Uganda. *Diversity Distrib.* 10, 303-312.
- Eilu, G., Hafashimana, D.L.N. & Kasenene, J.M. (2004) Tree species distribution in forests of the Albertine Rift, western Uganda. *Afr. J. Ecol.* 42, 100-110.
- Ekpa, O., Anam, E. & Vethaviasar, N. (1985) Anthraquinones from the root bark of *Maesopsis eminii*. *Planta Medica = journal of medicinal plant research* Dec (6), p. 528.
- Engler, A. (1906) Über *Maesopsis Eminii* Engl. *Notizbl. Königl. bot. Gart. Mus. Berlin* 38, 239-242.
- Engler, A. (1921) Die Pflanzenwelt Afrikas insbesondere seiner tropischen Gebiete. Vol. 3.2. Engelmann, Leipzig.
- Esegu, J.F.O. (2001) Forest tree genetic resources in Uganda. In Mukiibi, J.K. (Ed.) *Agriculture in Uganda, Volume III: Forestry*, pp. 1-33. Fountain Publishers, Kampala.
- Etheridge, D.E. (1965) Report to the government of Tanzania on forest tree diseases. FAO Report No. 20265, 23pp. Expanded Program of Technical Assistance, FAO, Rome.
- Evans, T.D. (1990) Conservation - values, problems and proposals. In Evans, T.D. & Anderson, G.Q.A. (Eds) *A wildlife survey of the East Usambara and Ukaguru Mountains, Tanzania*. ICBP Study Report No. 53, 68-83.
- Evrard, C. (1960) Rhamnaceae. *Flore du Congo Belge et du Ruanda-Urundi*, Vol. 9, pp. 429-452. INEAC, Bruxelles.
- Evrard, C. (1968) Recherches écologiques sur le peuplement forestier des sols hydromorphes de la cuvette centrale congolaise. *Publications de l'Institut pour l'étude Agronomique du Congo (Publ. I.N.E.A.C., Sér. Scient.)* 110, 1-295.
- Exell, A.W. & Mendonca, F.A. (1954) *Conspectus Florae Angolensis*, Vol. 2. Ministerio do Ultramar, Lisboa.
- Faden, R.B., Beentje, H.J. & Nyakundi, D.O. (1988) Checklist of the forest species. *Utafiti* 1, 43-66.
- Fashing, P.J. (2001) Feeding ecology of guerezas in the Kakamega Forest, Kenya: the importance of Moraceae fruit in their diet. *Int. J. Primatol.* 22, 579-609.
- Fashing, P.J., Forrestel, A., Scully, C. & Cords, M. (2004) Long-term tree population dynamics and their implications for the conservation of the Kakamega Forest, Kenya. *Biodiv. Conserv.* 13, 753-771.
- Fenton, R., Roper, R.E. & Watt, G.R. (1977) Lowland tropical hardwoods. External Aid Division, Ministry of Foreign Affairs, Wellington.
- Ferlin, G.R. (1970) *Souvenirs du Soudan*. *Bois For. Trop.* 133, 3-14.
- Fernie, L.M. (1948) The Amani plantations. *E. Afr. agric. J.* 14, 86-93.
- Fisher, J.B. & Stevenson, J.W. (1981) Occurrence of reaction wood in branches of dicotyledons and its role in tree architecture. *Bot. Gaz.* 142, 82-95.
- Fokou, P.A. (2006) Chemical investigation of three plants used in cameroonian traditional medicine: *Maesopsis eminii* (Rhamnaceae), *Austranella congolensis* (Sapotaceae) and *Pentadesma grandifolia* (Guttiferae). Dr. rer. Nat. Dissertation, Bielefeld University.
- Fokou, P.A. (2006) Chemical investigation of three plants used in Cameroonian traditional medicine: *Maesopsis eminii* (Rhamnaceae), *Austranella congolensis* (Sapotaceae) and *Pentadesma grandifolia* (Guttiferae). [http://deposit.ddb.de/cgi-bin/dokserv?idn=981425933&dok\\_var=d1&ok\\_ext=pdf&filename=981425933.pdf](http://deposit.ddb.de/cgi-bin/dokserv?idn=981425933&dok_var=d1&ok_ext=pdf&filename=981425933.pdf) Dr. rer. nat. Thesis,

Bielefeld University.

Fokou, P.A., Stammler, H.-G., Neumann, B., Huber, T., Lontsi, D., Wangun, H.V.K. & Sewald, N. (2004) Triterpenes from *Maesopsis eminii*. J. Nat. Prod. 67, 2124-2126.

Fowler, S. & Nyambo, B. (1996) Report of a short consultancy on the potential of biological control of invasive species in Amani Nature Reserve. East Usambara Catchment Forest Project Techn. Pap. 20. Forest and Beekeeping Division, Finnish Forests and Park Service & Int

Francis, J.K. (1989) *Maesopsis eminii* Engl., Musizi: Rhamnaceae, Buckthorn family. SO-ITF-SM-8, 1-4.

Francis, J.K. (n.d.) *Maesopsis eminii* Engl., Musizi: Rhamnaceae, Familia de las ramnaceas. pp. 317-320. [www.fs.fed.us/iitf/Maesopsiseminii.pdf]

Francis, J.K. (1989) The Luquillo Experimental Forest Arboretum. USDA Forest Service Res. Note SO-358. www.srs.fs.usda.gov/pubs/rn/rn\_so358.pdf

Francis, J.K. & Liogier, H.A. (1991) Naturalized exotic tree species in Puerto Rico. USDA For. Serv., S. Forest Exp. Sta. Gen. Tech. Rep. SO-82, 1-12.

French, A.R. & Smith, T.B. (2005) Importance of body size in determining dominance hierarchies among diverse tropical frugivores. Biotropica 37, 96-101.

Fuhr, M., DelEgue M-A., Nasi, Nasi, R. & Minkoue, J-M. (1998) Dynamique et croissance de l'Okoumé en zone côtière du Gabon. Série FORAFRI 16. CIRAD-Forêt, Montpellier.

Gaillez, L. (1955) Monographie forestière du Maniema. Bull. Agric. Congo Belge 46, 281-318.

Geddes, N. (1993) An assessment of the effectiveness of ring barking and herbicide injection at killing of *Maesopsis eminii* standing. (typescript).

Geddes, N. (1993) The ability of *Maesopsis eminii* to coppice from cut stumps and control of coppice regrowth. Unpublished report to IUCN East Usambara Agricultural & Environmental Conservation Project, Amani.

Geddes, N. (1994) The spread of *Maesopsis* within the East Usambara Mountains, Tanzania. M.Phil. outline. University of Wales, Bangor.

Geddes, N. (1998) *Maesopsis* invasion of the tropical forest in the East Usambara Mountains, Tanzania. M.Phil. Thesis, University College of North Wales, Bangor.

Ginoga, B. & Kamil, R.N. (1973) [Preliminary study on the physical and mechanical properties of eight wood species from W. Java.] Laporan, Lembaga Penelitian Hasil Hutan No. 23, 19pp.

Goswami, P.C. (1982) Agro-forestry practices and prospects as a combined land-use system. Ind. For. 108, 385.

Greenway, P.J. (1934) Report of a botanical survey of the indigenous and exotic plants in cultivation at the East

African Agricultural Research Station, Amani. 1-511. Unpubl. MS.

Grove, S. (1997) A nature conservation source-book for forestry professionals. Commonwealth Secretariat, London.

Gurney, R. (1947) Our trees and woodlands. The Medici Society, London.

Hale Carpenter, G.D. (1934) Some notes on the northern islands of Lake Victoria. J. Anim. Ecol. 3, 91-104.

Hall, J.B. (1995) *Maesopsis eminii* and its status in the East Usambara Mountains. East Usambara Catchment Forest Project Technical Paper No. 13. Finish Forest Park Service, Vantaa.

Hall, J.B. (2004) *Maesopsis eminii*: Introduction and the species. I-TOO Working Paper No. 21.

Hall, J.B. (2004) *Maesopsis eminii*: Ecology. I-TOO Working Paper No. 22.

Hall, J.B. (2004) *Maesopsis eminii*: Biology. I-TOO Working Paper No. 23.

Hall, J.B. (2004) *Maesopsis eminii* as an agroforestry tree - An annotated bibliography. I-TOO Working Paper No. 24.

Hall, J.B. & Swaine, M.D. (1981) Distribution and ecology of vascular plants in a tropical rain forest. Junk, The Hague.

Hallé, F., Oldeman, R.A.A. & Tomlinson, P.B. (1978) Tropical trees and forests. Springer, Berlin.

Hallé, N. (1962) Rhamnacées. Flore du Gabon Vol. 4, 49-52.

Hamilton, A.C. (1988) Conservation of the East Usambara forests, with emphasis on biological conservation. Acta Universitatis Upsaliensis, Symbolae Botanicae Upsalienses 28, 244-254.

Hamilton, A.C. (1988) TWINSPAN classification of the East Usambara forests. In East Usambara Mountains. p. 28. AFIMPP.

Hamilton, A.C. (1989) Some effects of *Maesopsis* on litter and soil on the East Usambaras. In Hamilton, A.C. & Bensted-Smith, R. (Eds) Forest conservation in the East Usambara Mountains, Tanzania, pp. 331-332. IUCN, Gland.

Hamilton, A.C. (1998) Vegetation, climate and soil: altitudinal relationships on the East Usambara Mountains, Tanzania. J. E. Afr. nat. Hist. 87, 85-89.

Hamilton, A.C. (1999) Vegetation, climate and soil: altitudinal relationships on the East Usambara Mountains, Tanzania. In Timberlake, J. & Kativu, S. (Eds) African plants: biodiversity, taxonomy and uses, pp. 165-169. Royal Botanic Gardens, Kew.

Hansford, C.G. (1940) Topography and vegetation. In Tothill, J.D. (Ed.) Agriculture in Uganda, pp. 7-14. Oxford

- University Press, London.
- Hardesty, B.D. & Parker, V.T. (2002) Community seed rain patterns and a comparison to adult community structure in a West African tropical forest. *Pl. Ecol.* 164, 49-64.
- Hawthorne, W.D. (1989) Field guide to the forest trees of Ghana. Overseas Development Administration, London.
- Hawthorne, W.D. (1993) Forest regeneration after logging. ODA, London.
- Hawthorne, W.D. (1995) Ecological profiles of Ghanaian forest trees. *Trop. For. Papers* 29, 1-345.
- Heinonen, P. (1995) PSPs in the East Usambara Mountains: present findings and future recommendations. East Usambara Catchment Forest Project Technical Paper No. 14. Finish Forest Park Service, Vantaa.
- Heitz, H. (1943) *La foret du Gabon*. Larouse, Paris.
- Hellinga, G. (1950) [Forest tree species for planting on a large scale.] *Houtsoorten voor aanplant op bedrijfsgroote Meded. BPS* 31. *Tectona* 40, 179-229. (Forestry Abstracts No. 798)
- Hochkirch, A. (2001) A phylogenetic analysis of the East African grasshopper Genus *Afrophlaeoba* JAGO, 1983 (Orthoptera: Acridoidea: Acridinae). Dissertation, Universität Bremen. [[www.biologie.uni-osnabrueck.de/oekologie/pdfs/Dissertation%20Hochkirch.pdf](http://www.biologie.uni-osnabrueck.de/oekologie/pdfs/Dissertation%20Hochkirch.pdf) Doktorgrades]
- Holbrook, K.M. & Smith, T.B. (2000) Seed dispersal and movement patterns in two species of *Ceratogymna* hornbills in a West African tropical lowland forest. *Oecologia* 125, 249-257.
- Holtz, W. (1911) *Der Minsirwald in Deutsch-Buddu, seine Beschaffenheit, sein Wert und seine wirtschaftliche Bedeutung*. [The Minsiro forest in German Buddu, its composition, its value and its economic importance.] *Berichte über die Land- und Forstwirtschaft in Deutsch-Ostafrika* 3, 223-247.
- Honess, B.L. (1963) A detailed report on a survey made in 1961-2. Muheza.
- Howard, P.C. (1991) Nature conservation in Uganda's tropical forest reserves. IUCN, Gland.
- Howland, P. & Hosegood, P.H. (1965) Observations on new techniques for the direct sowing of exotic softwoods in East Africa. *Commonw. For. Rev.* 44, 221-231.
- Hutchinson, J., Dalziel, J.M. & Keay, R.W.J. (1958) *Flora of west tropical Africa*. Vol. 1, part 2, 2nd edn. Crown Agents for Overseas Governments and Administrations, London.
- Irvine, F.R. (1961) *Woody plants of Ghana*. Oxford University Press, London.
- Iversen, S.T. (1988) Conservation in the Usambara Mts. In *The SAREC supported Integrated Usambara Rain Forest Project Tanzania. Report for the period 1983-1987*, pp. 1-23. Dept of Systematic Botany, Uppsala.
- Iversen, S.T. (1988) Conservation of the Usambara Mountains. Botanical values at the species and phytogeographical level. *Acta Univ. Ups. Symb. Bot. Ups.* 28, 218-243.
- Iversen, S.T. (1991) *The Usambara Mountains, NE Tanzania: phytogeography of the vascular plant flora*. *Acta Univ. Ups. Symb. Bot. Ups.* 29, 1-234.
- Iversen, S.T. (1991) *The Usambara Mountains, NE Tanzania: history, vegetation and conservation*. Uppsala Universitet Reprocentralen HSC, Uppsala.
- Jackson, G. & Gartlan, J.S. (1965) The flora and fauna of Lolui Island, Lake Victoria. A study of vegetation, men and monkeys. *J. Ecol.* 53, 573-597.
- Jackson, J.K. (1956) The vegetation of the Imatong Mountains, Sudan. *J. Ecol.* 44, 341-374.
- Jane, N.F., King, F.E. & Morgan, J.W.W. (1963) The chemistry of extractives from hardwood. Part XXXV. The constitution of Maesopsin (2-Benzyl-2,4,6,4'-tetrahydroxycoumaranone) and its alkali fusion products. *J. Chem. Soc.* 1963, 1356-1363.
- Jex-Blake, A.J. (1934) *Gardening in East Africa*. Longmans Green, London.
- Johansson, S.G., Katigula, M.I.L., Mashauri, S. & Mndolwa, A. (1997) Biodiversity conservation in the East Usambaras: experiences from the East Usambara Catchment Forest Project, Tanzania. In *Limbe Conference Proceedings*.
- Johnston, M.C. (1972) Rhamnaceae. In *Milne-Readhead, E. & Polhill, R.M. (Eds) Flora of tropical East Africa*. Crown Agent for Overseas Government & Administration, London.
- Johnston, M.C. (1991) Rhamnaceae. In *Flore du Cameroun*, 33, 1-44. MESIRES, Yaoundé.
- Jøker, D. (2000) *Maesopsis eminii* Engl. Danida Forest Seed Centre Seed Leaflet No. 48. [[www.dfsc.dk/pdf/Seedleaflets/Maesopsis%20eminii\\_int.pdf](http://www.dfsc.dk/pdf/Seedleaflets/Maesopsis%20eminii_int.pdf)]
- Kaale, B.K. (1984) *Trees for village forestry*. Forest Division, Dar Es Salaam.
- Kalaghe, A.G., Msangi, T.H. & Johansson, L. (1988) Conservation of catchment forests in the Usambara Mountains. *J. Tanz. Assoc. Foresters* 6, 37-47.
- Kamil, R.N. & Suwandi, K. (1974) [Test on eight wood species from Lampung [s. Sumatra] and Jasinga [W. Java] for wood-wool board.] *Laporan, Lembaga Penelitian Hasil Hutan* No. 33, 15 pp.
- Karani, P.K. (1968) Flowering, fruiting and seeding habits of Uganda indigenous trees. *Uganda For. Dept Tech. Note* 156/68, 1-12.
- Katende, A.B., Birnie, A. & Tengn, s, B. (1995) Useful trees and shrubs for Uganda: identification, propagation and management for agriculture and pastoral communities. Regional Soil Conservation Unit, RSCU, Nairobi.

- Kauli, S.Y.S. (1975) R.P. 219 *Maesopsis*. Uganda For. Dept Tech. Note 211/75, 1.
- Keay, R.W.J. (1989) *Trees of Nigeria*, 2nd edn. Clarendon Press, Oxford.
- Kemp, A.C. (1995) *The hornbills*. Oxford University Press, Oxford.
- Kennedy, J.D. (1936) *Forest flora of southern Nigeria*. Government Printer, Lagos.
- Kerharo, J. & Bouquet, A. (1950) *Plantes médicinales et toxiques de la Côte d'Ivoire - Haute-Volta*. Ministère de la France d'Outre-Mer, Paris.
- Kessy, J.F. (1998) Conservation and utilisation of natural resources in the East Usambara forest reserves: conventional views and local perspectives. *Tropical Resources Management Papers* 18. Ph.D. Thesis, Wageningen Agricultural University, Wageningen.
- Kiefer, S. & Bussmann, R.W. (2008) Household energy demand and its challenges for forest management in the Kakamega Area, western Kenya. *Ethnobotany Research & Applications* 6, 363-371.
- Kigomo, B.N. (1987) Some observations on regeneration trials in the Kakegema and South Nandi natural forests, Kenya. *E. Afr. agric. For. J.* 52, 184-195.
- Kingston, B. (1970) Tree volume tables for use in Budongo forest. Uganda For. Dept Tech. Note 168/70.
- Kingston, B. (1971) Tree volume tables for use in West Mengo Forests. Uganda For. Dept Tech. Note 171/71, 1-18.
- Kingston, B. (1971) Tree volume tables for use in Bwindi Forest. Uganda For. Dept Tech. Note 172/71, 1-7.
- Kingston, B. (1974) Growth and yield of *Maesopsis eminii* in Uganda. Uganda For. Dept Tech. Note 200/74, 1-41.
- Kityo, P.W. (1995) *The Ugandan timber user's handbook*. Commonwealth Secretariat, London.
- Kiwutu-Kizito, E. (1978) Working plan for the East Budongo woodlands reserves. East Budanga District - Uganda.
- Kochhar, P. (2003) Gums and stabilizers for the food industry. *International Journal of Food Science and Technology* 38, 377-378.
- Kokwaro, J.O. (1988) Conservation status of the Kakamega Forest in Kenya: the Easternmost relic of equatorial rain forests of Africa. *Monogr. Syst. MO bot. Gard.* 25, 471-489.
- Korikanthimath, V.S. (1983) *Maesopsis eminii*: a fast growing shade tree introduced in cardamom estate. *Cardamom* 15(9), 3+5.
- Kriek, W. (1967) Report on species trials in the dry acacia savanna in Karamoja, Acholi and Masaka Districts. Uganda For. Dept Tech. Note 144/67.
- Kriek, W. (1967) Report on species and provenance trials in wooded *Butyrospermum* savanna in West Nile Madi and Lango Districts. Uganda For. Dept Tech. Note 138/67.
- Kriek, W. (1967) Report on species trials on aquatic grasslands and seasonal swamps in Eastern Uganda. Uganda For. Dept Tech. Note 141/67.
- Kriek, W. (1967) Report on species and provenances trials in *Combretum* and mixed savanna in Bunyoro, Busoga and Teso Districts. Uganda For. Dept Tech. Note 143/67.
- Kriek, W. (1967) Report on species and provenances trials in *Combretum* and mixed savanna in Acholi and Lango Districts. Uganda For. Dept Tech. Note 139/67.
- Kriek, W. (1968) Report on species and provenances trials in Acholi woodland. Uganda For. Dept Tech. Note 145/68.
- Kriek, W. (1968) Report on species and provenance trials on *Chlorophora-Pennisetum* grassland sites in West Mengo and Busoga Districts. Uganda For. Dept Tech. Note 154/68.
- Kriek, W. (1968) Report on species trials in *Markhamia - Blighia - Albizia* secondary forest in Mubende District. Uganda For. Dept Tech. Note 147/68.
- Kriek, W. (1968) Report on species trials on mixed wooded savanna sites on hills in Teso, Busoga and Mubende Districts. Uganda For. Dept Tech. Note 146/68.
- Kriek, W. (1968) Report on species trials on *Celtis-Holoptelea* forest sites in East Mengo and Busoga. Uganda For. Dept Tech. Note 152/68.
- Kriek, W. (1968) Report on species and provenance trials on mixed *Piptadeniastrum-Albizia-Celtis* forest sites. Uganda For. Dept Tech. Note 153/68.
- Kriek, W. (1968) Preliminary report on underplanting trials in tropical high forests. Uganda For. Dept Tech. Note 158/68.
- Kriek, W. (1968) Report on species and provenance trials on *Chlorophora - Albizia* secondary forest sites. Uganda For. Dept Tech. Note 149/68.
- Kriek, W. (1968) Report on species and provenance trials on *Celtis - Cynometra* and *Parinari* in Toro District. Uganda For. Dept Tech. Note 148/68.
- Kriek, W. (1968) Report on species trials on *Hyparrhenia* grassland in Teso District and on *Cymbopogon - Loudetia* grasslands on Bugala Island (Masaka District). Uganda For. Dept Tech. Note 155/68.
- Laine, C., Baiakina, J., Vaquette, J., Chaumont, J.-P. & Simeray, J. (1985) [Antimycotic activity of barks from the trunks of 7 phanerogams from the Congo.] *Plant Med. Phytother.* 19, 75-83.
- Langdale-Brown, I., Osmaston, H.A. & Wilson, J.G. (1964) *The vegetation of Uganda and its bearing on land-use*. Government Printer, Entebbe.
- Lange, C. (1998) Comparison of molluscan biodiversity in plantations and indigenous forests of tropical ecosystems in Africa. *Tentacle* 8, 11-12.



- Laurie, M.V. (1966) Silvicultural treatment of virgin forests under tropical climates. In Proceedings of the sixth world forestry congress, Vol. 2, 2189-2195. Madrid.
- Laws, R.M. (1970) Elephants as agents of habitat and landscape change in East Africa. *Oikos* 21, 1-15.
- Laws, R.M., Parker, I.S.C. & Johnstone, R.C.B. (1970) Elephants and their habitats in North Bunyoro, Uganda. *E. Afr. Wildl. J.* 8, 163-180.
- Laws, R.M., Parker, I.S.C. & Johnstone, R.C.B. (1975) Elephants and their habitats - The ecology of elephants in North Bunyoro, Uganda. Clarendon Press, Oxford.
- Lawton, R.M. (1967) The conservation and management of the riparian evergreen forests of Zambia. *Commonw. For. Rev.* 46, 223-232.
- Lawton, R.M. (1969) A new record, *Maesopsis eminii* Engl., for Zambia. *Kirkia* 7, 145-146.
- Lebrun, J. (1936) Répartition de la forêt équatoriale et des formations végétales limitrophes. Ministère des Colonies, Bruxelles.
- Lee, S.S. (2004) Diseases and potential threats to *Acacia mangium* plantations in Malaysia. *Unasyuva* 55(217), 31-35.
- Leistner, O.A. (2005) Seed plants of southern tropical Africa: families and genera. SABONET Report No. 26. Southern African Botanical Diversity Network (SABONET), Pretoria.
- Lejoly, J., Issembe, Y. & Ayichedehou, M. (1995) Biodiversité végétale des ligneux sur le transect de Monte Chocolate dans le Parc National de Monte Allen. Groupement AGRECO-CTFT, Bruxelles.
- Lekunze, L.M. & Hassan, M.M. (2001) Mistletoe (*Tapinanthus bangwensis* Reichenbach) infestation of indigenous and non-indigenous trees at Amani Nature Reserve, Tanzania. *Afr. J. Ecol.* 39, 93-97
- Letouzey, R. (1985) Note de la carte phytogéographique du Cameroun au 1:500000 (1985). Institut de Carte International de la Végétation, Toulouse.
- Leuchars, D. (1957) Seed trials - *Maesopsis eminii*. Uganda For. Dept Tech. Note 4/57
- Lind, E.M. & Morrison, M.E.S. (1974) East African vegetation. Longman, London.
- Liogier, H.A. (1994) Descriptive flora of Puerto Rico and adjacent islands - Spermatophyta. Vol. 7. Cyrillaceae to Myrtaceae. Editorial de la Universidad de Puerto Rico.
- Louis, J. (1947) La phytosociologie et le problème des jachères au Congo. *C.R. Semaine agric. Yangambi* 2, 916-923.
- Lovett, J.C. (1991) Notes on the forests of Ambangulu and Kunga in the West Usambara mountains, Tanzania. *Bull. E. Afr. Nat. Hist. Soc.* 21, 29-30.
- Lovett, J.C. (1992) Classification and affinities of the Eastern Arc moist forests of Tanzania. Ph.D. Thesis, University of Wales, Bangor.
- Lovett, J.C. (2000) Invasive species in tropical rain forests: the importance of existence values. In Perrings, C., Williamson, M. & Dalmazone, S. (Eds) The economics of biological invasions, pp. 194-213. Edward Elgar, Cheltenham.
- Lowe, R.G. (1981) Tour to Philippines, Sarawak and Fiji - 25 January to 22 February 1981. Unpubl. Report, Instituto Nacional de Pesquisas da Amazonia, Manaus.
- Lubini, A. (1986) Végétation adventice et postculturelle de Kisangani et de la Tshopo (Haut-Zaïre). *Bull. Jard. bot. Nat. Belg.* 56, 315-348.
- Lulandala, L.L.L. (1998) Meeting the needs of the people through species domestication: a basis for effective conservation of the Eastern Arc Mountain forest biodiversity. *J. E. Afr. nat. Hist.* 87, 243-252.
- Luna, R.K. (1996) Plantation trees. International Book Distributors, Dehra Dun.
- Luukkanen, O. (n.d.) Management of biodiversity in the East Usambaras, Tanzania. <http://fibre.utu.fi/proj/14.htm>
- Lyons, E.E. (2000) Preliminary survey of invasive species in eastern Africa. In Lyons, E.E. & Miller, S.E. (Eds) Invasive Species in Eastern Africa: Proceedings of a workshop held at ICIPE, July 5-6, 1999, pp. 65-70. ICIPE Science Press, Nairobi.
- Macfadyen, A. (1989) A comparison between *Maesopsis* and other forest trees with respect to radiation, water and nutrient factors. In Hamilton, A.C. & Bensted-Smith, R. (Eds) Forest conservation in the East Usambara Mountains, Tanzania, pp. 347-349. IUCN, Gland.
- Macfadyen, A. (1989) A brief study of the relationships between *Maesopsis* and some soil properties in the East Usambaras. In Hamilton, A.C. & Bensted-Smith, R. (Eds) Forest conservation in the East Usambara Mountains, Tanzania, pp. 333-343. IUCN, Gland.
- Madoffe, S. (1980) Performance of tree species at Longuza arboretum, Muheza, Tanzania (experiment no. 307). *Tanz. Silv. Res. Note* 33, 1-13.
- Määttä, M. (1988) Management plans for Longuza, Kwamkoro and Kolekole hardwood plantations. Finnida, Helsinki.
- Määttä, M. (1988) East Usambara mountains forests and forestry. Finnida, Helsinki.
- Madoffe, S.S., O'Connell, B., Hertel, G.D., Killenga, R., Muro, A. & Mwanasanga, R. (n.d.) Forest health conditions in the Amani Nature Reserve, East Usambara Mountains, Teachers College Riverine Forest, Uluguru Mountains and Kimboza Coastal Forest of Tanzania.
- Mahunka, S. (1989) Preliminary study of the soil fauna of primary and secondary submontane rain forests on the East Usambaras. In Hamilton, A.C. & Bensted-Smith, R. (Eds) Forest conservation in the East Usambara Mountains, Tanzania, pp. 345-346. IUCN, Gland.

- Mahunka, S. (1990) Aspects of the soil fauna in the Usambara Mountains. In Hedberg, I. & Persson, E. (Eds) Research for conservation of Tanzanian catchment forests, pp. 108-112. Uppsala universitet Reprocentralen HSC, Uppsala.
- Mahyuddin, P., Little, D.A. & Lowry, J.B. (1988) Drying treatment drastically affects feed evaluation and feed quality with certain tropical forage species. *Anim. Feed Sci. Technol.* 22, 69-78.
- Maliondo, S.M. (1979) A review of silvicultural activities completed and future recommendations. Unpublished manuscript. Lushoto Sylvicultural Station.
- Mandango, M.A. & Bandole, M.B. (1988) Contribution à la connaissance des plantes médicinales des Turumbu de la zone de Basoko (Zaire). *Monogr. Syst. MO bot. Gard.* 25, 373-383.
- Mangenot, S. & Mangenot, G. (1957) Nombres chromosomiques nouveaux chez diverses Dicotylédones et Monocotylédones d'Afrique occidentale. *Bull. Jard. bot. Brux.* 27, 639-654.
- Mangenot, S. & Mangenot, G. (1962) Enquête sur le nombre chromosomiques dans une collection d'espèces tropicales. *Revue de Cytologie et Biologie Végétale* 25, 411-447.
- Marten, K.D. (1975) A summary of performance of various species in departmental trial plots. British Solomon Islands Forestry Department Research Report S/1/75.
- Marten, K.D. (1980) A summary of the performance of the major plantation species in divisional trial plots. Solomon Islands Forestry Division Research Report S/1/80.
- Marten, K.D. & Thompson, B.R. (1980) The silvics of species. Solomon Islands Forest Division Research Report S/1-12/80, 1-119.
- Maruo, S. (2002) Differentiation of subsistence farming patterns among the haya banana growers in northwestern Tanzania. *African Study Monographs* 23, 147-175.
- Matthew, K.M. (1981) Materials for a flora of Tamil Nadu. Carnatica Rapinat Herbarium, St Josephs College, Tiruchirapalli.
- Matthew, K.M. (?) Excursion flora of Tamil Nadu. Rapinat Herbarium, St Josephs College, Tiruchirapalli.
- Matthews, J.D. (1989) *Silvicultural systems*. Clarendon Press, Oxford.
- Mbuya, L.P., Misanga, H.P., Ruffo, C.K., Bernie, A. & Tengn, s, B. (1996) Major timber trees and shrubs for Tanzania: identification, propagation and management for agricultural and pastoral communities. *Techn. Handb. Regional Soil Conserv. Unit(Nairobi)* 6, 1-542.
- Mensbruge, G. de la (1966) La germination et les plantules des essences arborées de la forêt dense humide de la Côte d'Ivoire. Centre technique forestier tropical, Nogent-sur-Marne.
- Mensbruge, G. de la (1966) Du choix des essences et des méthodes de reboisement industriel en Côte-d'Ivoire. In Proceedings of the sixth world forestry congress, Vol. 3, 3207-3213. Madrid.
- Milne, G. (1938) *Essays in applied pedology*. 3. Bukoba: high and low fertility on laterised soil. *E. Afr. agric. J.* 4, 13-24.
- Mitchell, B.A. (1959) Site preparation by manual and mechanical means on degraded lands in Malaya. *Malay Forester* 22, 226-237.
- Mitchell, B.A. (1963) Possibilities for forest plantations. *Malay. Forester* 26, 259-286.
- Mitchell, B.A. (1964) Ornamental, roadside, and shade trees. *Malay. Forester* 27, 96-144.
- Mondal, M.I. (1986) *Maesopsis eminii* and its potential for plantation forestry in Bangladesh. M.Sc. Thesis, University College North Wales.
- Mitchell, N. (2004) The exploitation and disturbance history of Kakamega Forest, Western Kenya. In Bleher, B. & Dalitz, H. (Eds) BIOTA East Report No. 1, Bielefelder Ökologische Beiträge, Band 20, [www.biota-africa.org/Library/papers\\_east/boeb.pdf](http://www.biota-africa.org/Library/papers_east/boeb.pdf)
- Mogaka, H., Gacheke, S., Turpie, J., Emerton, L., Karanja, F. (2001) Economic aspects of community involvement in sustainable forest management in eastern and southern Africa. IUCN EasternAfrica Regional Office, Nairobi.
- Mogaka, H., Simons, G., Turpie, J., Emerton, L. & Karanja, F. (2001) Economic aspects of community involvement in sustainable forest management in eastern and southern Africa. *Forest and Social Perspectives in Conservation* 8, 1-151. [www.iucn.org/places/euro/pubs/forest/ECONOMIC.PDF](http://www.iucn.org/places/euro/pubs/forest/ECONOMIC.PDF)
- Moreau, R.E. (1935) A synecological study of Usambara, Tanganyika Territory, with particular reference to birds. *J. Ecol.* 23, 1-43.
- Moreau, R.E. (1936) The breeding biology of certain East African hornbills. *J. E. Afr. Uganda Nat. Hist. Soc.* 13, 1-28.
- Moreau, R.E. & Moreau, W.M. (1941) Breeding biology of silvery-cheeked hornbill. *Auk* 58, 13-27.
- Mosango, M. (1991) La forêt secondaire agée à *Zanthoxylum gillettii* a été étudiée dans l'île Kongolo (Zaire). *Belg. J. Bot.* 124, 152-166.
- Mosango, M. & Lejoly, J. (1987) Chute de litière et apport au sol des macro-éléments minéraux biogènes dans les groupements à *Caloncoba subtomentosa* des environs de Kisangani. *Bull. Soc. Roy. Bot. Belg.* 120, 7-19.
- Mosango, M. & Lejoly, J. (1988) Role de l'association *Musanga cecropioides* dans la reconstitution de la forêt dense humide au Zaire. *Coll. Phytosoc.* 15, 733-746.
- Mosango, M. & Lejoly, J. (1990) La forêt dense humide à *Piptadeniastrum africanum* et *Celtis mildbraedii* des environs de Kisangani (Zaire). *Mitt. Inst. Allg. Bot.*

Hamburg 23, 853-870.

Msanga, H.P. (1982) Storability of *Maesopsis eminii* seed in different conditions (Forestry, Tanzania). In Wang, B.S.P. & Pitel, J.A. (Eds) Proc. of the International Symposium on forest tree seed storage, Sept 23-27, 1980, pp. 184-188. Petawawa National Forestry Institute, Chalk River.

Mugasha, A.G. (1978) The growth of *Cephalosphaera usambarensis* at Amani and Kwamkoro, Tanzania. Tanz. Silv. Res. Note (NS) No. 36.

Mugasha, A.G. (1978) Tanzania natural forests' silvicultural research - review report. Tanz. Silv. Tech. Note (NS) 39, 1-41.

Mugasha, A.G. (1980) Growth of *Maesopsis eminii* Engl. in pure stands and under different forms of competition. Tanz. Silv. Res. Note (NS) No. 48.

Mugasha, A.G. (1981) The silviculture of Tanzanian indigenous tree species. II. *Maesopsis eminii*. Tanz. Silv. Res. Note (NS) 52, 1-14.

Mugasha, A.G. (1982) The regeneration of Tanzanian indigenous tree species. 4. *Cephalosphaera usambarensis*. Uganda For. Dept Tech. Note (NS) No. 55.

Mugasha, A.G. & Msanga, H.P. (1987) *Maesopsis eminii* seedcoat impermeability is not the cause of sporadic and prolonged seed germination. Forest Ecol. Mgmt 22, 301-305.

Mugasha, A.G., Mgangamundo, M.A. & Zahabu, E. (2000) Is *Maesopsis eminii* a problem in East Usambara Forests? In Lyons, E.E. & Miller, S.E. (Eds) Invasive Species in Eastern Africa: Proceedings of a workshop held at ICIPE, July 5-6, 1999, pp. 59-64. ICIPE Science Press, Nairobi.

Muir, C. (1998) A study to investigate the factors affecting the distribution of *Cola usambarensis*, an endangered endemic tree of the East Usambara Mountains, Tanzania. [www.easternarc.or.tz/downloads/ E Usam/ Cola usambarensisMSc.pdf](http://www.easternarc.or.tz/downloads/E_Usam/Cola_usambarensisMSc.pdf) M.Sc. Dissertation, University College London.

Mullenders, W. (1954) La végétation de Kaniama. Publ. I.N.E.A.C., Sér. Scient. 61, 1-499. pp472,400,390

Murphy, S.T. (1998) Protecting Africa's trees. *Unasylva* 49(192), 57-61. [[http://aginfo.snu.ac.kr/research/unasylva/pdf/192\\_08.pdf](http://aginfo.snu.ac.kr/research/unasylva/pdf/192_08.pdf)]

Mutangah, J.G., Mwangangi, & Mwaura, P.K. (1992) Kakamega forest: a vegetation survey report. Unpublished report by Kenya Indigenous Forest Conservation Project, Nairobi.

Mwalubandu, C. (1989) Tree species generates controversy. Daily News 29 March, p 4.

Mwalubandu, C. (1989) Alien species 'threaten forests'. Daily News 14 March, p 1.

Mwalubandu, C. & Ngaiza, A. (1991) Learning from the past. In Hisham, M.A., Sharma, J., Ngaiza, A. &

Atampugre, N. Whose trees? pp. 57-98. Panos Publications, London.

Mwavu, E.N. & Witkowski, E.T.F. (2008) Sprouting of woody species following cutting and tree-fall in a lowland semi-deciduous tropical rainforest, North-Western Uganda. *Forest Ecol. Mgmt* 255, 982-992.

Mwihomeke, S.T. (1990) The progress of agroforestry research and demonstration plots at the Silviculture Research Centre, Lushoto, in the West Usambara Mountains. In Hedberg, I. & Persson, E. (Eds) Research for conservation of Tanzanian catchment forests, pp. 117-127. Uppsala universitet Reprocentralen HSC, Uppsala.

Nabanyumya, R.N. (1991) Factors influencing tree species diversity of the medium altitude tropical moist forests of Kalinzu and Maramagambo in south western Uganda. M.Sc. Thesis, Makerere University.

Nair, K.S.S. (2000) Insect pests and diseases in Indonesian forests. [www.cifor.cgiar.org/publications/pdf\\_files/Insect-pests.pdf](http://www.cifor.cgiar.org/publications/pdf_files/Insect-pests.pdf) CIFOR, Bogor.

Nair, N.C. & Henry, A.N. (1983) Flora of Tamil Nadu, India. Series 1: analysis. Botanical Survey of India, Coimbatore.

Naluswa, J. (1970) The dynamics of seedling populations (strong light demanders) in a moist semi-deciduous tropical high forest, Budongo Forest Reserve. Uganda Research Plot 441. M.Sc. Thesis, University of Aberdeen.

Ndeze, M. (1999) Provenance variation in *Maesopsis eminii* Engl. PhD thesis, University of Wales, Bangor.

Newmark, W.D. (1992) Recommendations for wildlife corridors and the extension and management of forest reserves in the East Usambara Mountains. East Usambara Forest Project Technical Paper 4, 1-25. Helsinki.

Newmark, W.D. (2002) Conserving biodiversity in East African forests - a study of the Eastern Arc Mountains. Springer, Berlin.

Newmark, W.D. (2006) A 16-Year study of forest disturbance and understory bird community structure and composition in Tanzania. *Conserv. Biol.* 20, 122-134.

Newton-Fisher, N.E. (1999) The diet of chimpanzees in the Budongo Forest Reserve, Uganda. *Afr. J. Ecol.* 37, 344-354.

Newton-Fisher, N.E., Reynolds, V. & Plumtre, A.J. (2000) Food supply and chimpanzee (*Pan troglodytes schweinfurthii*) party size in the Budongo Forest Reserve, Uganda. *Int. J. Primat.* 21, 613-628.

Nightingale, R.D. & Steele, R.C. (1963) Management plan for Kwamkoro Forest Reserve. Forest Division, Dar Es Salaam.

Normand, D. (1935) Sur le *Maesopsis* de l'ouest africain et la bois de nkanguéle. *Rev. bot. appl. Agric. trop.* 15: 164, 252-263.

Nshubemuki, L. & Mugasha, A.G. (1995) Chance discoveries and germ-plasm conservation in Tanzania:

- some observations on 'reserved' trees. *Environ. Conserv.* 22, 51-55.
- Odera, J.A. (1993) Kenya Forestry Research Institute tree seed programme. In Anon. Proceedings of the International Consultation on the Development of the ICRAF MPT-Germplasm Resource Centre, pp. 128-136. ICRAF, Nairobi.
- Oduol, P.A. & Aluma, J.R.W. (1990) The banana (*Musa* spp.) - Coffee robusta: Traditional agroforestry system of Uganda. *Agrofor. Syst.* 11, 213-226.
- Ofong, A.U. (1974) *Fusarium solani* and *Volutella* sp. as canker-forming pathogens on *Maesopsis eminii*. *Plant Dis. Rep.* 58, 463-467.
- Ofung, A.U. (1974) The incidence of cankers on *Maesopsis eminii* Engl. in Mabira forest, Uganda. *E. Afr. agric. For. J.* 39, 311-320.
- Ojo, L.O. & Ola-Adams, B.A. (1996) Measurement of tree diversity in the Nigerian rainforest. *Biodiv. Conserv.* 5, 1253-1270.
- Okorio, J., Byenkya, S., Wajja, N. & Peden, D. (1994) Comparative performance of seventeen upperstorey tree species associated with crops in the highlands of Uganda. *Agrofor. Syst.* 26, 185-203.
- Okorio, J., Sekatuba, J., Agaba, H., Wandui, C., Musaana, S., Ongodia, G., Opolot, V. & Wafula, D. (2004) Potential of agroforestry in improving livelihoods in eastern and mid-northern Uganda. *Uganda J. Agric. Sci.* 9, 901-907.
- Oliver, B. (1960) Medicinal plants in Nigeria. Nigerian College of Arts, Sciences and Technology.
- Osmaston, H.A. (1959) Working plan for the Kibale and Itwara forests. First revision - period 1959-1965. Uganda Forest Department, Entebbe.
- Osmaston, H.A. (1970) Working plan for the Bugoma forest. First revision - Period 1960-1970. Uganda Forest Department, Entebbe.
- Osmaston, H.A. (1970) Working plan for the Maramagambo forest. Period 1960-1970. Uganda Forest Department, Entebbe.
- Osmaston, H.A. (1970) Working plan for the Kalinzu forest. Period 1960-1970. Uganda Forest Department, Entebbe.
- Palmer, E.R., Gibbs, J.A. & Dutta, A.P. (1983) Pulping characteristics of hardwood species growing in plantations in Fiji. *Trop. Prod. Inst.*, L64, London.
- Parry, M.S. (1953) Tree-planting in Tanganyika. I. Methods of planting. *E. Afr. agric. J.* 19, 1-14.
- Parry, M.S. (1953) Tree-planting in Tanganyika. II. Species for the Highlands. *E. Afr. agric. J.* 19, 15-28.
- Parry, M.S. (1957) Tree planting practices in Tropical Africa. *Forestry Development Papers* 8, 1-102.
- Paterson, J.D. (1976) Varying ecology and differential adaptation of the Ugandan Baboon, *Papio cynocephalus anubis*, with special reference to forest conditions and behavior models for early hominids. PhD Dissertation, University of Toronto.
- Paterson, J.D. (1991) The ecology and history of Uganda's Budongo Forest. *Forest Conserv. Hist.* 35, 179-187.
- Pauwels, L. (1993) Nzayilu N'ti. Guides des arbres et arbustes de la région de Kinshasa-Brazzaville. *Scripta Bot. Belg.* 4, 1-495.
- Peel, J.D. (1958) Fibre dimensions of suggested pulpwood plantation species. *Malay. Forester* 22, 238-240.
- Philip, M.S. (1961) *Maesopsis* plantations in Kakamega Forest, Kenya. Uganda For. Dept Tech. Note 90/61.
- Philip, M.S. (1962) Interim report on research plots Nos. 61, 62 and 76, Mpanga Research Forest, prepared for the visit of the B.C.F.C. - July, 1962. Uganda For. Dept Tech. Note 100/62.
- Philip, M.S. (1963) Tending of *Maesopsis eminii* in grasslands - R.P. 506 Lwamunda. Uganda For. Dept Tech. Note 110/63, 1. (also) 90/61, 1-3.
- Philip, M.S. (1965) Working plan for Budongo Central Forest Reserve. Government Printer, Entebbe.
- Philip, M.S. (1967) The dynamics of seedling populations in a moist semi-deciduous tropical forest in Uganda. 1. Interim report on research plot 441, Uganda Forest Department - survival of seedlings following destruction of canopy with arboricide. Paper presented at the 9th Commonwealth Forestry Conference, New Delhi. Department of Forestry, Univ. Aberdeen. 31pp.
- Philip, M.S. (1974) Working plan for Budongo central forest reserve. Uganda Government, Entebbe.
- Philip, M.S. (1983) Measuring trees and forests. The Division of Forestry, University of Dar es Salaam.
- Phillipps & Shoo, M.E. (1976) Introductions for silviculture research in the Longuza and Amani charges. Unpublished Manuscript. Silviculture Research Station, Lushoto.
- Pierlot, R. (1966) Structure et composition des forêts denses d'Afrique Centrale, spécialement celles du Kivu. *Académie Royale des Sciences d'Outre-Mer. Classe des Sciences naturelles et médicales*, N.S. 16, 1-367.
- Pierre, L. (1897) Plantes du Gabon. Sur le genre *Karlea* de la tribu des zyzyphées des Rhamnacées. *Bull. Soc. Linn., Paris* 1897, 1270.
- Plumptre, A.J. (1995) The importance of "seed trees" for the natural regeneration of selectively logged tropical forest. *Commonw. For. Rev.* 74, 253-258.
- Plumptre, A.J. (1996) Changes following 60 years of selective timber harvesting in the Budongo Forest Reserve, Uganda. *Forest Ecol. Mgmt* 89, 101-113.
- Plumptre, A.J. & Reynolds, V. (1994) The effect of selective logging on the primate populations in the Budongo Forest Reserve. *J. appl. Ecol.* 31, 631-641.

- Plumptre, A.J., Reynolds, V. & Bakuneeta, C. (1994) The contribution of fruit eating primates to seed dispersal and natural regeneration after selective logging. Final report of ODA Project No R4738, Oxford.
- Plumptre, B. (2001) Budongo Before Amin. Budongo Forest Project 4, 2-3. [www.budongo.org/BFPMay2001.pdf](http://www.budongo.org/BFPMay2001.pdf)
- Plumptre, R.A. (1990) Greater use of secondary species in moist tropical forest: a guide to the use of Mexican and Belizean timbers. *Commonw. For. Rev.* 69, 215-226.
- Pocs, T. (1989) A preliminary study of the undergrowth of primary and secondary submontane rainforests in the East Usambara Mountains, with notes on epiphytes. In Hamilton A.C. & Bensted-Smith, R. (Eds) *Forest conservation in the East Usambara Mountains, Tanzania*, pp. 301-306. IUCN, Gland.
- Purwanto, I. & Gintings, A.N. (1989) [Infiltration capacity of soils under various types of vegetation over at Cijambu, Sumedang, West Java.] Pengaruh berbagai jenis vegetasi terhadap kapasitas infiltrasi tanah di Cijambu, Sumedang, Jawa Barat. *Buletin Penelitian Hutan* 518, 13-22.
- Radcliffe, R. (1985) A note on the cultivation and growth of *Maesopsis eminii* Engl. (Musizi). *The Indian Forester* 111, 760-764.
- Raman, T.R.S. (2006) Effects of habitat structure and adjacent habitats on birds in tropical rainforest fragments and shaded plantations in the western Ghats, India. *Biodiv. Conserv.* 15, 1577-1607.
- Raponda-Walker, A. & Sillans, R. (1961) *Les plantes utiles du Gabon*. Lechevalier, Paris.
- Raponda-Walker, A. or Walker, A.R.? (1953) Usages pharmaceutiques des plantes spontanées du Gabon. III. *Bull. Inst. Etudes Centrafr.* NS 6, 275-329.
- Raven, P.H. (1975) The bases of angiosperm phylogeny: cytology. *Ann. Missouri bot. Gdn* 62, 724-764.
- Redhead, J.F. (1981) The Mazumbai Forest: an island of lower montane rain forest in the West Usambaras. *Afr. J. Ecol.* 19, 195-199.
- Redhead, J.F. & Hall, J.B. (1992) *Tropical forestry*. Longman, Harlow.
- Reyes, G., Brown, S., Chapman, J. & Lugo, A.E. (1992) Wood densities of tropical tree species. General Technical Report SO-88. Southern Forest Experiment Station, New Orleans.
- Reynolds, V. (1965) Some behavioral comparisons between the chimpanzee and the mountain gorilla in the wild. *American Anthropologist* NS 67, 691-706.
- Reynolds, V. (1965) Budongo. A forest and its chimpanzees. Methuen, London.
- Reynolds, V. (1968) *The apes*. Cassel, London.
- Reynolds, V. & Reynolds, F. (1965) Chimpanzees of the Budongo Forest. In DeVore, I. (Ed.) *Primate behaviour*, pp. 368-424. Holt, Rinehart & Winston, New York.
- Richardson, J.E., Chatrou, L.W., Mols, J.B., Erkens, R.H.J. & Pirie, M.D. (2004) Historical biogeography of two cosmopolitan families of flowering plants: Annonaceae and Rhamnaceae. *Phil. Trans. R. Soc. Lond.* 359, 1495-1508.
- Richardson, J.E., Fay, M.F., Cronk, Q.C.B. & Chase, M.W. (2000) A revision of the tribal classification of Rhamnaceae. *Kew Bull.* 55, 311-340.
- Richardson, J.E., Fay, M.F., Cronk, Q.C.B., Bowman, D. & Chase, M.W. (2000) A phylogenetic analysis of Rhamnaceae using RBCL and TRNL-F plastid DNA sequences. *Am. J. Bot.* 87, 1309-1324.
- Roberts, H. (1977) The Platypodidae (Coleoptera) of Fiji (with descriptions of two new species). *J. nat. Hist.* 11, 555-578.
- Roe, D., Mulliken, T., Milledge, S., Mremi, J., Simon Mosha, S. & Grieg-Gran, M. (2002) Making a killing or making a living? Wildlife trade, trade controls and rural livelihoods. *Biodiversity and Livelihoods Issues No. 6*. IIED and TRAFFIC. [[www.traffic.org/livelihoods](http://www.traffic.org/livelihoods)]
- Rogers, F.M. (1935) Report of the superintendent of plantations. Seventh annual report of the East African Agricultural Research Station Amani 1934-35, 39-43.
- Rogers, F.M. (1936) Report of the superintendent of plantations. Eighth annual report of the East African Agricultural Research Station Amani 1935-36, 33-37.
- Rogers, F.M. (1937) Report of the superintendent of plantations. Ninth annual report of the East African Agricultural Research Station Amani 1936-37, 40-44.
- Roshetko, J.M. dan Mulawarman. (2002) *Direktori Penyedia Benih Pohon di Indonesia*. International Centre for Research in Agroforestry (ICRAF) and Winrock, Bogor.
- Rowell, T.E. & Mitchell, B.J. (1991) Comparison of seed dispersal by guenons in Kenya and capuchins in Panama. *J. trop. Ecol.* 7, 269-274.
- Ruffo, C.K., Chilongola, S.B. & Mabula, C.K. (1996) *Catalogue of Lushoto Herbarium Tanzania*. Tanz. For. Res. Inst. & Tanz. National Tree Seed Programme, Morogoro.
- Ruffo, C.K., Mwashia, I.V. & Mmari, C. (1989) The use of medicinal plants in the East Usambaras. In Hamilton, A.C. & Bensted-Smith, R. (Eds) *Forest conservation in the East Usambara Mountains, Tanzania*, pp. 194-206. IUCN, Gland.
- Rufner, D. (1993) Seed dispersal of the weed tree *Maesopsis eminii*. Project, College of African Wildlife Management, Mweka.
- Rugalema, G.H., Okting'Ati & Johnsen, F.H. (1994) The homegarden agroforestry system of Bukoba district, north-western Tanzania. 1. Farming system analysis. *Agrofor. Syst.* 26, 53-64.
- Rwamugira (1991) *Maesopsis eminii* in Kwamkoro Forest Reserve. B.Sc. Thesis.

- Samsudin, M. (1982) Review of potential plantation species *Maesopsis eminii*. Terminal Paper for B.Sc., For. Universiti Pertanian Malaysia, Serdang.
- Sandrasegaran, K. (1966) Permanent sample plot information on stocking, growth and yield of *Maesopsis eminii* Engl. Res. Pamphl. For. Res. Inst., Kepong 49. 1-23.
- Sandy, R.F., Boniface, G. & Rajabu, I. (1997) A survey and inventory of the Amani Botanical Garden. East Usambara Catchment Forest Project Techn. Pap. 38. Forest and Beekeeping Division & Finnish Forests and Park Service, Dar es Salaam.
- Santesson, C.G. (1926) [Several drugs of the Cameroon District and their native uses.] Einige Drogen aus dem Kamerun-Gebiete und ihre einheimische Verwendung. Arkiv. für Bot. 20A (3), 1-34.
- Savill, P.S. & Fox, J.E.D. (1967) Trees of Sierra Leone. Forest Department, Freetown.
- Schabel, H.G. (1990) Tanganyika forestry under German colonial administration, 1891-1919. Forest Conserv. Hist. 34, 130-140.
- Schabel, H.G. & Latiff, A. (1997) *Maesopsis eminii* Engler. In Hanum, I.F. & van der Maesen, L.J.G. (Eds) Plant resources of South-East Asia, No 11: Axillary plants, pp. 184-187. Backhuys Publishers, Leiden.
- Schirarend, C. (1991) The systematic wood anatomy of the Rhamnaceae Juss. (Rhamnales). I. Tribe Zizipheae. IAWA Bull. NS 12, 359-388.
- Schirarend, C. & Kohler, E. (1993) Rhamnaceae Juss. World Pollen and Spore Flora 17/18, 1-53.
- Schirarend, C. & Suss, H. (1985) Zur Holzanatomie und systematischen Stellung der Gattung *Maesopsis* Engler (Rhamnaceae). Gleditschia, 13, 41-45.
- Schulman, L., Junikka, L., Mndolwa, A. & Rajabu, I. (1998) Trees of Amani Nature Reserve, NE Tanzania. The Ministry of Natural Resources and Tourism, Tanzania.
- Sclater, W.L. & Moreau, R.E. (1932-3) Taxonomic and field notes on some birds of north-eastern Tanganyika Territory. Ibis 13th series 2, 487-522, 656-683; 3, 1-33, 187-219, 399-440.
- Seddon, M. (1998) Molluscan biodiversity work in Africa. Tentacle 8, 10-12.
- See, Lee Su & Abdul Manap Ahmad (1982) *Cylindrocladium scoparium*, new record: A new pathogen of some forest tree species in Peninsular Malaysia. Pertanika 5, 72-75.
- Selvaraj, P. & Abu Bakar, M. (1980) A checklist of plantation trials in Peninsular Malaysia. Forest Res. Inst. Res. Pamphlet 79, 1-100.
- Seymour, M. (1991) Manual harvesting of *Maesopsis eminii* in the East Usambara Mountains, Tanzania. M.Sc. Thesis, University of Helsinki
- Shehaghilo, I.M. (1977) A guide on collection of the more common species at Lushoto and Mombo Arboretum. Technical Note (NS) No. 34.
- Sheil, D. (1993) What future for the African violets? Swara Sept-Oct, 18-21.
- Sheil, D., Jennings, S. & Savill, P. (2000) Long-term permanent plot observations of vegetation dynamics in Budongo, a Ugandan rain forest. J. trop. Ecol. 16, 765-800.
- Siebenlist, T. (1914) Forstwirtschaft in Deutsch - Ostafrika. Paul Parey Verlag, Berlin.
- Sillans, R. (1958) Les savannes de l'Afrique centrale. Lechevalier, Paris.
- Singh, M., Kumara, H.N., Kumar, M.A. & Sharma, A.K. (2001) Behavioural responses of lion-tailed macaques (*Macaca silenus*) to a changing habitat in a tropical rain forest fragment in the Western Ghats, India. Folia Primatol. 72, 278-291.
- Singham, S.S. (1981) Artificial regeneration of forests (with particular references to silvicultural practices in Peninsular Malaysia). Peninsular Malaysia Forestry Department, Forest Training Unit.
- Somi, F.G.R. & Nshubemuki, L. (1980) An annotated list of research reports issued by the Silvicultural Research Station from 1951 - Jan. 1980. Tanz. Silv. Tech. Note (N.S.) 35, 1-39.
- Sommerlatte, H. & Sommerlatte, M. (1990) A field guide of the trees and shrubs of the Imatong Mountains of Southern Sudan. Deutsche Gesellschaft für Technische Zusammenarbeit, Nairobi.
- Sreenivasan, M.S. & Dharmaraj, P.S. (1991) *Maesopsis eminii* Engl - a fast growing shade tree for coffee. Indian Coffee 55, 17-20.
- Ssegawa, P. & Nkuutu, D.N. (2006) Diversity of vascular plants on Ssesse islands in Lake Victoria, central Uganda. Afr. J. Ecol. 44, 22-29.
- Staner, P. (1939) Révision des Rhamnacées du Congo Belge. Bull. Jardin bot. Nat. Belg. 15, 393-424.
- Storrs, A.E.G. (1979) Know your Trees - Some common Trees found in Zambia. The Forest Department. Ndola, Zambia.
- Streets, R.J. (1962) Exotic forest trees in the British Commonwealth. Clarendon Press, Oxford.
- Struhsaker, T.T. (2003) Evaluation of the UWA-FACE natural high forest rehabilitation project in Kibale National Park, Uganda. Unpublished Report, Duke University.
- Suessenguth, K. (1953) Rhamnaceae. In Engler, A., Prantl, K., Melchior, H. & Wederman, E. (Eds) Die natürlichen Pflanzen Familien, Band 20d. Angiospermae: Reihe Rhamnales, 2nd Aufg., pp. 7-173. Duncker & Humblot, Berlin.
- Suzuki, A. (1979) The variation and adaptation of social groups of chimpanzees and black and white Colobus monkeys. In Bernstein, I.S. & Smith, E.O. (Eds) Primate

- ecology and human origins: ecological influences on social organization, pp. 153-173. Garland STPM Press, New York.
- Swabey, C. (1954) Silviculture of Musizi (*Maesopsis eminii*). Uganda For. Dept Tech. Note 10/54.
- Swabey, C. & Chittenden, A.E. (1961) Potentialities of tropical forests in the world's timber economy. Caribb. Forester Jan-Jun, 47-50.
- Swaine, M.D. & Hall, J.B. (1983) Early succession on cleared forest land in Ghana. J. Ecol. 71, 601-627.
- Synnott, T.J. (1971) Annotated list of the perennial woody vegetation of the west Ankole forests. Uganda J. 35, 1-21.
- Synnott, T.J. (1977) Final report on tropical high forest management project. C.F.I., Oxford.
- Synnott, T.J. (1985) A checklist of the flora of Budongo Forest Reserve, Uganda, with notes on ecology and phenology. Commonw. For. Inst. Occ. Paper 27, 1-99.
- Tack, C.H. (1953) Plywood and veneer species. Uganda For. Dept Tech. Note 5/53.
- Tack, C.H. (1969) Uganda timbers. Government Printer, Entebbe.
- Tattersfield, P. (1994) Patterns of mollusc diversity in Kakamega Forest, Kenya. Bull. Brit. Ecol. Soc. 25, 171-176.
- Tattersfield, P. (1996) Local patterns of land snail diversity in a Kenyan rain forest. Malacologia 38, 161-180.
- Tattersfield, P., Seddon, M.B. & Lange, C.N. (2001) Land-snail faunas in indigenous rainforest and commercial forestry plantations in Kakamega Forest, western Kenya. Biodiv. Conserv. 10, 1809-1829.
- Taylor, C.J. (1960) Synecology and silviculture in Ghana. Thomas Nelson & Sons Ltd, Edinburgh.
- Taylor, D. (1989) Root distribution in relation to vegetation and soil type in the forests of the East Usambaras. In Hamilton, A.C. & Bensted-Smith, R. (Eds) Forest conservation in the East Usambara Mountains, Tanzania, pp. 313-329. IUCN, Gland.
- Teel, W. (1984) A pocket directory of trees and seeds in Kenya. Kengo, Nairobi.
- Tennigkeit, T. & Rogiers, N. (2002) Silvicultural potential assessment in a tropical high forest in Uganda. I-TOO Working Paper No. 4. [www.uni-freiburg.de/waldbau/I-TOO/I-TOO-files/WP/I-TOO%20WP4](http://www.uni-freiburg.de/waldbau/I-TOO/I-TOO-files/WP/I-TOO%20WP4)
- Theagarajan, K.S., Prabhu, V.V. & Rao, P.S. (1986) Studies on the fatty oil of *Maesopsis eminii* seed. Van vigyan = Journal of the Society of Indian Foresters 24(3/4), 116-117.
- Thomas, A.S. (1940) Shade trees in Uganda and their relation to the cultivation of coffee and tea. East Afr. Agric. J. 5, 287-293.
- Thomas, A.S. (1940) Shade trees. In Tohill, J.D. (Ed.) Agriculture in Uganda, pp. 480-484. Oxford University Press, London.
- Thomas, A.S. (1941) The vegetation of the Sesse Islands, Uganda. An illustration of edaphic factors in tropical ecology. J. Ecol. 29, 330-353.
- Thomas, A.S. (1945) The vegetation of some hillsides in Uganda. I. Illustrations of human influence in tropical ecology. J. Ecol. 33, 10-43.
- Thompson, K. (1985) Emergent plants of permanent and seasonally-flooded wetlands. In Denny, P. (Ed.) The ecology and management of African wetland vegetation, pp. 43-107. Junk, Dordrecht.
- Troupin, G. (1982) Flore des plantes ligneuses du Rwanda. Institut National de Recherche Scientifique, Butare.
- Troupin, G. (1983) Flore du Rwanda - Spermatophytes, Vol. 2. Musee Royal de l'Afrique Centrale, Tervuren.
- Troupin, G. & Girardin, N. (1975) Plantes ligneuse du parc National du Rwanda. Clés pratiques de détermination scientifique. Bull. Jard. bot. Nat. Belg. 45, 1-96.
- Tsingalia, M.H. (1990) Habitat disturbance, severity and patterns of abundance in Kakamega Forest, western Kenya. Afr. J. Ecol. 28, 213-226.
- Turyareeba, P.J. (2001) Forest products and utilisation. In Mukibi, J.K. (Ed.) Agriculture in Uganda, Volume III: Forestry, pp. 73-108. Fountain Publishers, Kampala.
- Umaphy, G. & Kumar, A. (2000) Impacts of the habitat fragmentation on time budget and feeding ecology of lion-tailed macaque (*Macaca silenus*) in rain forest fragments of Anamalai Hills, South India. Primate Report 58, 67-82. [<http://www.dpz.gwdg.de/pr/pr58/umaphy.pdf>]
- Verdcourt, B. (1957) An enumeration of the Rhamnaceae in the East African Herbarium with the description of a new species of *Lasiodiscus*. Bull. Jard. bot. Nat. Belg. 27, 351-363.
- Verhoef, L. (1943) [Root studies in the tropics. 6. Further data on the oxygen requirement of the root system.] Wortelstudien in den tropen. 6. Nadere gegevens omtrent de Zuurstofbehoefte van het wortelstelsel. Buitenzorg Boschbouwproefstation Korte Medeling No. 81, 65pp.
- Viisteensaari, J. (1999) The fate of an alien tree species in tropical conservation forest management: regeneration and dynamics of woody plant species in *Maesopsis eminii* plantations in the East Usambaras, Tanzania. M.Sc. Thesis, Department of Forest Ecology, University of Helsinki. [<http://honeybee.helsinki.fi/tropic/publicat.htm>]
- Viisteensaari, J., Johansson, S., Kaarakka, V. & Luukkanen, O. (2000) Is the alien tree species *Maesopsis eminii* Engl. (Rhamnaceae) a threat to tropical forest conservation in the East Usambaras, Tanzania? Envir. Conserv. 27, 76-81.
- Vivien, J. & Faure, J.J. (1985) Arbres des forets denses d'Afrique Centrale. Agence de Coopération Culturelle et Technique, Paris.
- Vivien, J. & Faure, J.J. (1989) Fruitiers sauvages du

- Cameroun. Fruits (Paris) 44, 155-163.
- Wanyancha, J.M. (1977) Silviculture of *Maesopsis eminii* in Kwankoro rain forest area. B.Sc. Thesis, Fac. of Agric. & Vet. Sci., Morogoro.
- Wanyancha, J.M. (1977) Local seed collection. Tech. Note (NS) No. 30.
- Wardell, D.A. (1990) Pit-sawing in the East Usambara mountains: an overview of progress in controlling pit-sawyers and the planning of sustainable timber harvesting. IUCN, Amani.
- Wardell, D.A. & Mwashu, I.V. (1989) Pit-sawing in the East Usambara mountains: a review. IUCN, Amani.
- Warsopranoto, R.S., Soerjono, R. & Ardikusuma, R.I. (1966) [Results of an investigation of *Maesopsis eminii* plantations in the South Bandung, Rimba.] Hasil pemeriksaan tanaman *Maesopsis eminii* Engl. di kesatuan pemangkuan Hutan Bandung-Selatan. Rimbo Indonesia 11 (1/4), 1-12.
- Watkins, G. (1960) Trees and shrubs of Planting in Tanganyika. Government Printers, Dar Es Salaam.
- Webb, D.B., Wood, P.J. & Smith, J. (1980) A guide to species selection for tropical and sub-tropical plantations. Trop. For. Paper No. 15.
- Weberbauer, A. (1896) Rhamnaceae. In Engler, A. & Prantl, K. Pflanzenfamilien. 3.5. pp. 393-427. W. Engelmann, Leipzig.
- Webster, G. & Logan, W.E.M. (1971) Working plan for South Mengo forests, Mengo district, Uganda. Uganda Government, Entebbe.
- Westman, W.E., Strong, L.L. & Wilcox, B.A. (1989) Tropical deforestation and species endangerment: The role of remote sensing. Landscape Ecol. 3, 97-109.
- White, S. (1993) The *Maesopsis* problem: control efforts and local use of the invasive tree *Maesopsis eminii* in the East Usambara Mountains. Project, College of African Wildlife Management, Mweka.
- Whitney, K.D., Fogiel, M.K., Lamperti, A.M., Holbrook, K.M., Stauffer, D.J., Hardesty, B.D., Parker, V.T. & Smith, T.B. (1998) Seed dispersal by *Ceratogymna* hornbills in the Dja Reserve, Cameroon. J. trop. Ecol. 14, 351-371.
- Willan, R.L. (1963) Rondo Arboretum. Tech. Note (Silv.) No. 59.
- Willan, R.L. (1963) Artificial regeneration in Kwankoro Forest. Interim report. Tanz. Silv. Tech. Note No. 35.
- Willan, R.L. (1963) Gap planting. Tech. Note (Silv.) 54.
- Willan, R.L. (1963) Nest-planting of Mvule. Tanz. Silv. Tech. Note No. 38.
- Willan, R.L. (1965) Natural regeneration of high forest in Tanganyika. E. Afr. agric. For. J. 31, 43-53.
- Wilson, V.J. (1990) Preliminary survey of the duikers and other large mammals of Burundi, East Africa. Chipangali Wildlife Trust, Bulawayo, Zimbabwe.
- Wood, G.H.S. (1953) Forestry operations at Kakamega, Lake province, Kenya. Uganda For. Dept Tech. Note 4/53.
- Wood, G.H.S. (1960) A study of the plant ecology of Busoga District, Uganda Protectorate. Imp. For. Inst. Paper 95, 69pp.
- Wood, P.J. (1966) A guide to some German forestry plantations in Tanga region. Tanz. Notes Rec. 66, 203-206.
- Wrede, E. v., Papageorgiou, A.C., Hosius, B. & Wolf, H. (2000) Origin and isoenzyme variation of four *Maesopsis eminii* Engl. seed stands in Kenya. Forstwissenschaftliche Beiträge Tharandt 10, 175-189.
- Wrede, E. v., Papageorgiou, A.C., Hosius, B. and Wolf, H. (n.d.) Origin and isoenzyme variation of four *Maesopsis eminii* seed stands in Kakamega forest - Kenya. In: Wolf, H. (ed.) Problems of forestry in tropical and subtropical countries. Procurement of forestry seeds at the example Kenya. Ecomed Verlagsgesellschaft, Landsberg.
- Yamagiwa, J., Basabose, A.K., Kaleme, K. & Yumoto, T. (2005) Diet of Grauer's Gorillas in the montane forest of Kahuzi, Democratic Republic of Congo. Int. J. Primatol. 26, 1345-1373.
- Yap, S.K. & Wong, S.M. (1983) Seed biology of *Acacia mangium*, *Albizia falcataria*, *Eucalyptus* spp., *Gmelina arborea*, *Maesopsis eminii*, *Pinus caribea* and *Tectona grandis*. Malay. Forester 46, 26-45.
- Zimmerman, R. & Chavangi, A.H. (1987) A guide to farm forestry in Kenya. RAES.
- Zimi, G.K. (1994) Growing trees in urban Zaire. In Perrier, J.P., Omolu, G.P. & Dahl, J. (Eds) Special issue. Man and forests: towards a popular management of our common heritage. African Environment 9.
- Zulu, C. (2004) Problems with participatory mapping in forest management. [www.itc.nl/library/Papers\\_2004/msc/nrm/zulu.pdf](http://www.itc.nl/library/Papers_2004/msc/nrm/zulu.pdf) MSc Thesis, International Institute for Geo-Information Science and Earth
- Zürcher, E. (1992) Rythmicités dans la germination et la croissance initiale forestière tropicale. Schweiz. Z. Forstwes. 143, 951-966.
- Zürcher, E. (2001) Lunar rhythms in forestry traditions - lunar-correlated phenomena in tree biology and wood properties. Earth, Moon and Planets 85-86, 463-478.

### Article's history

An earlier version of this bibliography was first posted on the internet in 2003 and is extracted from the woody plant bibliographical database.